



# About RAM Mounts

RAM® Mounts manufactures rugged and versatile mounting systems for cameras, tablets and other mobile devices that can be attached nearly anywhere. Unlike other mounts on the market, RAM® allows you to mount items where you need them most. The unique design of the RAM® Mounts system provides quick installation, adjustability, strength, vibration dampening and durability—all at a low cost. Backed by a lifetime warranty, RAM® uses powder-coated marine-grade aluminum with lightweight and high-strength composites, stainless steel hardware and rubber balls.



# RAM in the Agriculture Industry


Technological innovation within the agriculture industry has taken off at an unprecedented rate in recent years. What was once a rarity is now commonplace—such as seeing four or five displays in a single cab. While it can be difficult to keep up with technological innovations, RAM® Mounts can help you build for the future.

We've worked closely alongside vehicle and display manufacturers to provide farmers with the best in-cab experience possible. It wasn't always easy to install or adjust the technology being placed in the cab, but we're proud to innovate and help farmers around the world farm more efficiently, effectively and easily.

Depend on RAM® to bring value to your operations with a wide range of mounting solutions built specifically with agriculture in mind.



## Popular Mounting Locations Tractor Cab



- 1,2 | Implement bar supports rail mounts including the RAM torque, RAM Tough-Claw and U-bolt mounts.
  - 3 Side window is able to support any RAM Twist-Lock suction cup mount (available in single, double and triple suction).
  - 4 Any flat surface in the tractor cab can accommodate drill-down systems, including double ball mounts or RAM Tough-Track.
  - 5 Mount any device to the threaded bosses of your cab pillar using the RAM Tough-Ball.
  - 6 Secure any RAM Twist-Lock suction cup mount to your cab windshield to support any phone, display or sun visor.

## Popular Mounting Locations Tractor Cab



RAM® Level Cup''' XL Socket Arm RAM® Torque''' Mount



Device Cradles and Adapters Socket Arms RAM<sup>®</sup> Track Ball<sup>®</sup> RAM<sup>®</sup> Tough-Track<sup>®</sup>





RAM® X-Grip® Phone Mount Socket Arm RAM® Tough-Claw"



Device Adapter Socket Arm Threaded Ball Base





Device Adapter Socket Arm RAM<sup>®</sup> Twist-Lock<sup>™</sup> Suction Cup





Sun Visor Socket Arm RAM® Twist-Lock<sup>®</sup> Suction Cup

# How It Works

Choose a Device Adapter

RAM offers a wide selection of adapters and cradles for your specific device.

#### Choose an Arm

Select an arm based on your desired length and placement.

#### Choose a Base

Select from a variety of bases to help secure your device where you need it.



### **Ball Size Selection Guide**



#### **B** Size

- 1" diameter ball
- Holds up to 2 lbs
- Ideal for phones, cameras and cup holders



- C Size
  - 1.5" diameter ball
- Holds up to 4 lbs
- Ideal for tablets and small monitors



### D Size

- 2.25" diameter ball
- Holds up to 6 lbs
- Ideal for display integrations



# ASSEMBLIES

В	S	Z	Ε		

C SIZE

## COMPONENTS

MOUNTS

Page 8-9 Page 10

<b>B</b> SIZE	• Bases	Page	11 - 15
	<ul> <li>Socket Arms</li> </ul>	Page	16 - 17
	<ul> <li>Device Adapters</li> </ul>	Page	18 - 21
C SIZE	• Bases		22 - 26
	<ul> <li>Socket Arms</li> </ul>	Page	27
	<ul> <li>Device Adapters</li> </ul>	Page	28 - 33
D SIZE	• Bases	Page	34
	<ul> <li>Socket Arms</li> </ul>	Page	35
	<ul> <li>Device Adapters</li> </ul>	Page	36

# ASSEMBLIES - B SIZE



## Mount Assy 5" - 4 hole AMPS Round Plate Adaptors

KR-RAMB101

Diameter: 1" Weight Capacity: 0.9kg (2 lbs) Total Length: 120.6mm



Suction Mount C/W X-Grip Phone Holder KR-RAM-B-166-UN7

Ball/Socket Size: 1" Suction Size: 3.3" Diameter Weight Capacity: 0.9kg (2 lbs) Width Range: 1.875"-3.25" Depth Range: 0.875" Max



Twist-Lock Suction Cup Double Ball Mount KR-RAMB166

Diameter: 1" Weight Capacity: 0.9kg (2 lbs) Total Length: 170mm



#### Twist-Lock Suction Cup C/W RAM X-Grip Phone Holder KR-RAPB1662UN7

Ball/Socket Size: 1" Suction Size: 2.75" Diameter Weight Capacity: 0.9kg (2 lbs) Width Range: 1.875"-3.25" Depth Range: 0.875" Max

# ASSEMBLIES - B SIZE



#### Suction Mount C/W X-Grip Phone Holder KR-RAMB166UN10

Ball/Socket Size: 1" Suction Size: 3.3" Diameter Width Range: 1.75"-4.5" Depth Range: 0.875" Max.



#### Twist-Lock Suction Cup C/W Ram X-Grip Phone Holder KR-RAPB1662UN10

Ball/Socket Size: 1" Suction Size: 2.75" Diameter Width Range: 1.75" - 4.5" Depth Range: 0.875" Max



Suction Mount C/W Go-Pro Camera Mount KR-RAM-B-166-GOP1

Suction Size: 3.3" Diameter Socket to Socket Length: 3" Ball/Socket Size: 1"



**Twist-Lock Cup C/W B-102 & 224-1** KR-RAMB1022241U

Ball/Socket Size: 1" Suction Size: 3.3" Diameter Weight Capacity: 0.9kg (2 lbs)

# ASSEMBLIES - C SIZE



#### Mount C/W 2 RAM-202 & Arm

#### KR-RAMC101

Diameter: 1.5" Weight Capacity: 1.8kg (4 lbs) Total Length: 187mm



### Twist-Lock Triple Suction Cup Mount C/W Round Plate

KR-RAP365101U

Diameter: 1.5" Weight Capacity: 1.8kg (4 lbs) Total Length: 170mm





#### Twist-Lock Single Suction Cup Base KR-RAMB2241U

Ball/Socket Size: 1" Suction Size: 3.3" Diameter Weight Capacity: 0.9kg (2 lbs)



**4" Diameter Suction Cup Base** KR-RAMB224U

Ball/Socket Size: 1" Suction Size: 4" Diameter Weight Capacity: 0.9kg (2 lbs)



#### Twist-Lock Double Suction Cup Base (No Ball) KR-RAMB189B

Suction Size: 3.3" Diameter Hole Pattern: 4-Hole AMPS: 1.181" x 1.496" Total Length: 202.9mm



Twist-Lock Double Suction Cup Base KR-RAMB189B202U

Ball/Socket Size: 1" Suction Size: 3.3" Diameter Bases; Total Width: 7.95" Weight Capacity: 0.9kg (2 lbs)



## Portable Friction Dashboard Base for Suction Cups

MI-RAP-279C

Base Diameter: 6.5" Diameter Suction Platform: 3.5" Diameter Weight Capacity: 0.9kg (2 lbs) Dimensions: 6.5"W x 1.25"H x 6.5" D



## 2 Hole AMPS Diamond Plate Adapter

KR-RAMB238

Hole Pattern: 2-Hole AMPS: 1.912" Plate Size: 2.43" x 1.31" Ball/Socket Size: 1" Weight Capacity: 0.9kg (2 lbs)



### **3.5" Adhesive Dashboard Base for Suction Cups** MI-RAP-350-35B

Material: High Strength Composite Included: 1 x 3" Double Adhesive Pad, 1 x Alcohol Prep Pad



4 Hole AMPS Round Plate Adapter KR-RAMB202

Hole Pattern: 4 Hole AMPS, 3 Hole 120-Degree Plate Size: 2.5" Diameter Ball/Socket Size: 1" Weight Capacity: 0.9kg (2 lbs)



#### **4 Hole AMPS Rectangular Plate Adapter** KR-RAMB347U

Hole Pattern: 4-Hole AMPS Plate Size: 2" x 1.7" Ball/Socket Size: 1" Weight Capacity: 0.9kg (2 lbs)



9mm Angled Bolt Head Adapter Ball Base KR-RAMB272

Ball/Socket Size: 1" Weight Capacity: 0.9kg (2 lbs) Material: Marine-Grade Aluminum



### 11mm Bolt Head Adapter Mounting Bracket KR-RAMB252U

Ball/Socket Size: 1" Weight Capacity: 0.9kg (2 lbs) Material: Marine-Grade Aluminum



0.5" to 1" Diameter Single U-Bolt Base KR-RAMB231

Ball/Socket Size: 1" Clamp Range: 0.5" - 1" Diameter Weight Capacity: 0.9kg (2 lbs) Material: Marine-Grade Aluminum



0.5" to 1.25" Diameter Single U-Bolt Base KR-RAMB231Z

Ball/Socket Size: 1" Clamp Range: 0.5" - 1.25" Diameter Weight Capacity: 0.9kg (2 lbs)



#### 0.75" to 1" Diameter RAM Torque Base KR-RAMB408751U

Ball/Socket Size: 1" Clamp Range: 0.75" - 1" Diameter Weight Capacity: 0.9kg (2 lbs)



### 0.75" to 1.25" Diameter Double U-Bolt Base KR-RAMB235U

Ball/Socket Size: 1" Clamp Range: 1" - 1.25" Diameter Weight Capacity: 0.9kg (2 lbs)



1.125" to 1.5" Diameter RAM Torque Base KR-RAMB40811215U

Ball/Socket Size: 1" Clamp Range: 1.125" - 1.5" Diameter Weight Capacity: 0.9kg (2 lbs)



0.625" to 1.14" Diameter RAM Tough-Claw Base KR-RAPB400

Ball/Socket Size: 1" Clamp Range: 0.625" - 1.14" Diameter Weight Capacity: 0.9kg (2 lbs)



**1" to 1.875" Diameter RAM Tough-Claw Base** KR-RAMB404P

Ball/Socket Size: 1" Clamp Range: 1" - 1.875" Diameter Weight Capacity: 0.9kg (2 lbs)



**1" to 2.25" Diameter RAM Tough-Claw Base** MI-RAP-B-401

Ball/Socket Size: 1" Clamp Range: 1" - 2.25" Diameter Weight Capacity: 0.9kg (2 lbs)



RAM Motorcycle Handlebar Clamp Base with M8 Bolts KR-RAMB367

Ball/Socket Size: 1" Weight Capacity: 0.9kg (2 lbs) Material: Marine-Grade Aluminum

## COMPONENTS - B SIZE SOCKET ARMS



### 2.42" (60mm) Short Socket

### KR-RAMB201A

Ball/Socket Size: 1" Total Length: 50mm Weight Capacity: 0.9kg (2 lbs)



**3.73" (95mm) Medium Socket Arm** KR-RAMB201B

Ball/Socket Size: 1" Total Length: 95mm Weight Capacity: 0.9kg (2 lbs)



#### **6" (150mm) Long Socket Arm** KR-RAMB201C

Ball/Socket Size: 1" Total Length: 150mm Weight Capacity: 0.9kg (2 lbs)



## COMPONENTS - B SIZE SOCKET ARMS



## RAM Double Socket Swivel Arm

MI-RAP-B-200-12U


Ball/Socket Size: 1" Overall Length: 3.69" Weight Capacity: 0.9kg (2 lbs)



RAM B Size to C Size Socket Arm MI-RAP-BC-201U

Ball/Socket Size: 1" & 1.5" Weight Capacity: 0.9kg (2 lbs) Material: High Strength Composite







KR-RAMB230

Ball/Socket Size: 1" Socket to Socket Length: 1.75" Weight Capacity: 0.9kg (2 lbs) Overall Length: 2.54"



## 2 Hole AMPS Diamond Plate Adapter

KR-RAMB238

Ball/Socket Size: 1" Plate Size: 2.43" x 1.31" Hole Pattern: 2-Hole AMPS: 1.912" Weight Capacity: 0.9kg (2 lbs)



### RAM Universal Mounting Plate 2" x 6.25" KR-RAMB111B

Ball/Socket Size: 1" Plate Size: 6.25" x 2" Weight Capacity: 0.9kg (2 lbs)



4 Hole AMPS Round Plate Adapter KR-RAMB202

Ball/Socket Size: 1" Plate Size: 2.5" Diameter Hole Pattern: 4-Hole AMPS: 1.181", 3-Hole 120-Degree: 1.812" Diameter



#### **4 Hole AMPS Rectangular Plate Adapter** KR-RAMB347U

Ball/Socket Size: 1" Plate Size: 2" x 1.7" Thread Pitch: 1/4" - 20



#### RAM Ball Adapter C/W 1/4"-20 Female Threaded Hole KR-RAMB337

Ball/Socket Size: 1" Thread Pitch: 1/4"-20 x 5/8" (female) Weight Capacity: 0.9kg (2 lbs)



### 1/4"-20 Thread Camera Adapter with Round Plate MI-RAM-B-202AU

Ball/Socket Size: 1" Plate Size: 2.5" Diameter Thread Pitch: 1/4"-20 x 0.25"



### RAM Ball Adapter with 1/4"-20 Threaded Post KR-RAMB237

Ball/Socket Size: 1" Thread Pitch: 1/4"-20 x 0.25" Weight Capacity: 0.9kg (2 lbs)



RAM Ball Adapter M10 x 1.5 Threaded Post

KR-RAMB3491

Ball/Socket Size: 1" Weight Capacity: 0.9kg (2 lbs) Material: Marine-Grade Aluminum



### RAM Tough-Ball M6-1 x 6mm Threaded Stud KR-RAPB379M616

Ball/Socket Size: 1" Weight Capacity: 0.9kg (2 lbs)



RAM X-Grip Holder for Phones up to 3.25" Wide KR-RAMBHOLUN7

Ball/Socket Size: 1" Weight Capacity: 0.9kg (2 lbs) Width Range: 1.875" - 3.25"



### RAM X-Grip Holder for Phones up to 4.5" wide KR-RAMHOLUN10BU

Ball/Socket Size: 1" Weight Capacity: 0.9kg (2 lbs) Width Range: 1.75" - 4.5"



## RAM X-Grip Holder for 7"-8" Tablets

KR-RAMBHOLUN8

Ball/Socket Size: 1" Weight Capacity: 0.9kg (2 lbs)



#### RAM Level Cup 160Z Drink Holder KR-RAMB132B

Ball/Socket Size: 1" Drink Size: 12-16 oz Weight Capacity: 0.9kg (2 lbs)



### RAM Tab-Tite Holder for 9"-10.5" Tablets with H/D Cases MI-RAM-HOL-TAB20U

Height Range: 9.5" - 12.125" Width Range: 6.55" - 7.43" Depth Range: 0.3" - 0.875"



#### RAM Drop-N-Lock Universal Scanner Gun Holder MI-RAP-317U

Hole Pattern: 2-Hole AMPS: 1.912" Inside Width: 1.45" Inside Length: 3.3" Inside Depth: 6.5"



#### RAM Triple Twist Suction Cup Base C/W 1.5" Ball KR-RAM2243U

Ball/Socket Size: 1.5" Suction Size: 3 x 3.3" Diameter Bases Weight Capacity: 1.8kg (4 lbs)



## RAM Triple Suction Cup Base W/O Ball

KR-RAP3652241BU

Suction Size: 3 x 3.3" Diameter Bases Hole Pattern: 4-Hole AMPS: 1.181" x 1.496" Material: High Strength Composite



### RAM Twist-Lock Triple Suction Cup Ball Base KR-RAMC365224

Ball/Socket Size: 1.5" Total Length: 202mm Weight Capacity: 1.8kg (4 lbs)



RAM Portable Friction Dashboard Base for Suction Cups MI-RAP-279C

Base Diameter: 6.5" Diameter Suction Platform: 3.5" Diameter Weight: 0.9kg (2 lbs)



### 2 Hole AMPS Round Plate Adapter

KR-RAMC238

Ball/Socket Size: 1.5" Total Length: 61.7mm Weight Capacity: 1.8kg (4 lbs)



## 4 Hole AMPS Rectangular Plate Adapter

KR-RAM347U

Ball/Socket Size: 1.5" Plate Size: 1.69" x 2" Hole Pattern: 4-Hole AMPS: 1.181" x 1.496"



**4 Hole AMPS Round Plate Adapter** KR-RAMC202

Ball/Socket Size: 1.5" Total Length: 62mm Weight Capacity: 1.8kg (4 lbs)



4 Hole Square Plate 1.5" x 1.5" KR-RAMC202U22

Ball/Socket Size: 1.5" Total Length: 50.8mm Weight Capacity: 1.8kg (4 lbs)



#### RAM Ball Base 1.5" x 2" 4-Hole Pattern KR-RAMC202U225

Ball/Socket Size: 1.5" Total Length: 63.5mm Weight Capacity: 1.8kg (4 lbs)



RAM Ball Base 1.5" x 4.5" 4-Hole Pattern KR-RAMC202U25

Ball/Socket Size: 1.5" Total Length: 127mm Weight Capacity: 1.8kg (4 lbs)



### RAM Mounting Plate 6.25" x 2"

#### KR-RAMC111B

Ball/Socket Size: 1.5" Total Length: 158.8mm Weight Capacity: 1.8kg (4 lbs)



RAM 0.5" to 1" Diameter U-Bolt Base KR-RAMC231

Ball/Socket Size: 1.5" Weight Capacity: 1.8kg (4 lbs)



### RAM 0.75" to 1.25" Diameter U-Bolt Base

KR-RAMC235

Ball/Socket Size: 1.5" Total Length: 81.2mm Weight Capacity: 1.8kg (4 lbs)



RAM 0.75" to 1" Diameter RAM Torque Base KR-RAM408751U

Ball/Socket Size: 1.5" Clamp Range: 0.75" - 1" Diameter Weight Capacity: 1.8kg (4 lbs)



RAM 1.25" to 1.5" Diameter U-Bolt Base KR-RAM2351U

Ball/Socket Size: 1.5" Clamp Range: 1.25" - 1.5" Diameter Weight Capacity: 1.8kg (4 lbs)



RAM 1.125" to 1.5" Diameter RAM Torque Base KR-RAM40811215U

Ball/Socket Size: 1.5" Clamp Range: 1.125" - 1.5" Diameter Weight Capacity: 1.8kg (4 lbs)



RAM 0.625" to 1.5" Diameter Tough-Claw Base KR-RAP400

Ball/Socket Size: 1.5" Clamp Range: 0.625" - 1.14" Diameter Weight Capacity: 1.8kg (4 lbs)



RAM 1" to 2.25" Diameter Tough-Claw Base KR-RAMC401P

Ball/Socket Size: 1.5" Clamp Range: 25-57mm Total Length: 166.6mm Weight Capacity: 1.8kg (4 lbs)



RAM 1" to 1.6" Diameter Tough-Claw Base KR-RAP404U

Ball/Socket Size: 1.5" Clamp Range: 1" - 1.6" Diameter Weight Capacity: 1.8kg (4 lbs)



RAM Single Socket Arm with Round Plate KR-RAPC2001293U

Hole Pattern: 4-Hole AMPS: 1.181" x 1.496" Rotation: 360-degree Weight Capacity: 1.8kg (4 lbs)

## COMPONENTS - C SIZE SOCKET ARMS



#### 3.56" (90mm) Short Socket Arm KR-RAMC201B

Ball/Socket Size: 1.5" Total Length: 90mm Weight Capacity: 1.8kg (4 lbs)



#### 9.13" (235mm) Long Socket Arm KR-RAMC201D

Ball/Socket Size: 1.5" Total Length: 235mm Weight Capacity: 1.8kg (4 lbs)



5.69" (145mm) Medium Socket Arm KR-RAMC201

Ball/Socket Size: 1.5" Total Length: 145mm Weight Capacity: 1.8kg (4 lbs)



RAM B Size to C Size Socket Socket Arm MI-RAP-BC-201U

Ball/Socket Size: 1" - 1.5" Weight Capacity: 0.9kg (2 lbs) Material: High Strength Composite



RAM Double Ball Adapter KR-RAMC230

Ball/Socket Size: 1.5" Total Length: 57mm Weight Capacity: 1.8kg (4 lbs)



## 2 Hole AMPS Diamond Plate Adapter

KR-RAMC238

Ball/Socket Size: 1.5" Total Length: 61.7mm Weight Capacity: 1.8kg (4 lbs)



#### RAM Triple Ball Adapter KR-RAM289U

Ball/Socket Size: 1.5" Weight Capacity: 1.8kg (4 lbs) Material: Marine-Grade Aluminum



4 Hole AMPS Round Plate Adapter KR-RAMC202

Ball/Socket Size: 1.5" Total Length: 62mm Weight Capacity: 1.8kg (4 lbs)



#### RAM 4 Hole AMPS Rectangular Plate Adapter KR-RAM347U

Ball/Socket Size: 1.5" Plate Size: 1.69" x 2" Weight Capacity: 1.8kg (4 lbs)



## RAM 100 x 100mm VESA Plate with Ball

KR-RAMC246U

Ball/Socket Size: 1.5" Total Length: 120.7mm Weight Capacity: 1.8kg (4 lbs)



RAM 75 x 75mm VESA Fixing Plate KR-RAMC2461

Ball/Socket Size: 1.5" Total Length: 75mm Weight Capacity: 1.8kg (4 lbs)



RAM Mounting Plate 4.25" x 3.81" KR-RAMC107B

Ball/Socket Size: 1" - 1.5" Weight Capacity: 1.8kg (4 lbs)



RAM Mounting Plate 6.25" x 2" KR-RAMC111B Ball/Socket Size: 1.5"

Total Length: 158.8mm Weight Capacity: 1.8kg (4 lbs)



RAM Adapter Round Plate 1/4"-20 Threaded Stud KR-RAMC202A

Ball/Socket Size: 1.5" Weight Capacity: 1.8kg (4 lbs)



**3/8"-16 Thread Camera Adapter with Round Plate** MI-RAM-202CU

Ball/Socket Size: 1.5" Weight Capacity: 1.8kg (4 lbs) Hole Pattern: 4-Hole AMPS: 1.181" x 1.496" 3-Hole 120 Degree: 1.812" Diameter



RAM Ball Adapter 1/4"-20 Female Threaded Hole KR-RAMC337

Ball/Socket Size: 1" - 1.5" Weight Capacity: 1.8kg (4 lbs)



### RAM Ball Adapter for John Deere

KR-RAM-270U

Ball/Socket Size: 1.5" Weight Capacity: 1.8kg (4 lbs) Material: Marine-Grade Aluminum



### RAM Tough-Ball M10-1.5 x 25mm Threaded Stud KR-RAP-379U-M101525

Ball/Socket Size: 1.5" Thread Pitch: M10-1.5 x 25mm Weight Capacity: 1.8kg (4 lbs)



#### RAM Tough-Ball M12-1.75 x 12mm Threaded Stud KR-RAP379UM1217512


Ball/Socket Size: 1.5"

Thread Pitch: M12-1.75 x 12mm Weight Capacity: 1.8kg (4 lbs)



#### RAM X-Grip Holder for Phones up to 4.5" Wide KR-RAM-HOL-UN10BCU

Ball/Socket Size: 1.5" Width Range: 1.75" - 4.5" Depth Range: 0.875" Max Weight Capacity: 1.8kg (4 lbs)



RAM X-Grip Holder for 7" - 8" Tablets MI-RAM-HOL-UN8BCU

Ball/Socket Size: 1.5" Total Length: 90mm Weight Capacity: 1.8kg (4 lbs)



RAM X-Grip Holder for 9" -10" Tablets KR-RAMHOLUN9

Max Height: 10.25" Width Range: 6.25" - 8.10" Max Depth: 0.875"



RAM X-Grip Holder for 11" - 12" Tablets KR-RAMHOLUN11

Max Height: 10.25" Width Range: 7.25" - 8.75" Max Depth: 0.875"



RAM Tab-Tite Holder for 9"-10.5" Tablets with H/D Cases MI-RAM-HOL-TAB20U

Height Range: 9.5" - 12.125" Width Range: 6.55" - 7.43" Depth Range: 0.3" - 0.875"



The MI-RAP-317U has an internal spring-loaded lever that holds the scanner gun in place. so even when mounted upside down or sideways, the scanner gun will remain secured inside the holder. To release simply lift up on the tab and the scanner gun comes right out.



#### **RAM Drop-N-Lock Universal Scanner Gun Holder** MI-RAP-317U

Hole Pattern: 2-Hole AMPS: 1.912" Inside Width: 1.45" Inside Length: 3.3" Inside Depth: 6.5"



The MI-RAP-317U has an open slot that lets you route a cable that may be connected to your scanner gun.





## RAM Large Round Plate with Ball

### KR-RAMD202U

Ball/Socket Size: 2.25" Plate Size: 3.68" Diameter Weight Capacity: 2.7kg (6 lbs)



RAM Ball Base 1.5" x 2.5" 4-Hole Pattern KR-RAMD202U23

Ball/Socket Size: 2.25" Plate Size: 2" x 3" Weight Capacity: 2.7kg (6 lbs)



#### RAM Ball Base 1.5" x 3.5" 4-Hole Pattern KR-RAMD202U24

Ball/Socket Size: 2.25" Plate Size: 2" x 4" Weight Capacity: 2.7kg (6 lbs)



## COMPONENTS - D SIZE SOCKET ARMS



### RAM Double Socket Arm Short 130mm

### KR-RAMD201UC

Ball/Socket Size: 2.25" Socket to Socket Length: 3.6" Weight Capacity: 2.7kg (6 lbs)



### RAM Double Socket Arm Medium 215mm

### KR-RAMD201D

Ball/Socket Size: 2.25" Total Length: 215mm Weight Capacity: 2.7kg (6 lbs)





#### RAM Large Round Plate with Ball

#### KR-RAMD202U

Ball/Socket Size: 2.25" Plate Size: 3.68" Diameter Weight Capacity: 2.7 kg (6 lbs)





### RAM 100 x 100mm VESA Plate with Ball

KR-RAMD246U

Ball/Socket Size: 2.25" Weight Capacity: 2.7kg (6 lbs)





